

University of Groningen

Depression vulnerability: is it really what you think?

van Rijsbergen, Gerard

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2014

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

van Rijsbergen, G. (2014). *Depression vulnerability: is it really what you think? understanding the impact of emotion and cognition on the course of depression*. [Thesis fully internal (DIV), University of Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).


The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References



- Abela, J. R. Z., Payne, A. V. L., & Moussaly, N. (2003). Cognitive vulnerability to depression in individuals with borderline personality disorder. *Journal of Personality Disorders*, 17(4), 319-329.
- Abramson, L. Y., Metalsky, G. I., & Alloy, L. B. (1989). Hopelessness depression: A theory-based subtype of depression. *Psychological Review*, 96(2), 358-372.
- Abramson, L. Y., Seligman, M. E., & Teasdale, J. D. (1978). Learned helplessness in humans: Critique and reformulation. *Journal of Abnormal Psychology*, 87(1), 49-74.
- Agency for Healthcare Research and Quality (2012). *Guide to clinical preventive services, 2012: Recommendations of the U.S. preventive services task force*. Retrieved July 1, 2013 from <http://www.ahrq.gov/professionals/clinicians-providers/guidelines-recommendations/guide/index.html>.
- Ahearn, E. P. (1997). The use of visual analog scales in mood disorders: A critical review. *Journal of Psychiatric Research*, 31(5), 569-579.
- Aldao, A., & Nolen-Hoeksema, S. (2010). Specificity of cognitive emotion regulation strategies: A transdiagnostic examination. *Behaviour Research and Therapy*, 48(10), 974-983.
- Alloy, L. B., Liu, R. T., & Bender, R. E. (2010). Stress generation research in depression: A commentary. *International Journal of Cognitive Therapy*, 3(4), 380-388.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th edition, text revision). Arlington, VA US: American Psychiatric Publishing.
- American Psychiatric Association. (2010). *Practice guideline for the treatment of patients with major depressive disorder, third edition*. Retrieved July 1, 2013, from <http://psychiatryonline.org/content.aspx?bookid=28§ionid=1667485>.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th edition). Arlington, VA US: American Psychiatric Publishing.
- American Psychological Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th edition). Arlington, VA US: American Psychiatric Publishing.
- Årdal, G., Lund, A., & Hammar, Å. (2013). Health-related quality of life in recurrent major depressive disorder - A 10-year follow-up study. *Nordic Journal of Psychiatry*, 67(5), 339-343.
- Arntz, A., & Ten Haaf, J. (2012). Social cognition in borderline personality disorder: Evidence for dichotomous thinking but no evidence for less complex attributions. *Behaviour Research and Therapy*, 50(11), 707-718.
- Baer, R. A., & Sauer, S. E. (2011). Relationships between depressive rumination, anger rumination, and borderline personality features. *Personality Disorders: Theory, Research, and Treatment*, 2(2), 142-150.
- Barber, J. P., & DeRubeis, R. J. (1989). On second thought: Where the action is in cognitive therapy for depression. *Cognitive Therapy and Research*, 13(5), 441-457.
- Baron, R. M., & Kenny, D. A. (1986). The moderator-mediator variable distinction in social psychological research: Conceptual, strategic, and statistical considerations. *Journal of Personality and Social Psychology*, 51(6), 1173-1182.
- Barrett, L. F., Niedenthal, P. M., & Winkielman, P. (2005). In Barrett L. F., Niedenthal P. M. and Winkielman P. (Eds.). *Emotion and consciousness*. New York, NY US: Guilford Press.
- Barrett, L. F., & Russell, J. A. (1999). The structure of current affect: Controversies and emerging consensus. *Current Directions in Psychological Science*, 8(1), 10-14.
- Batink, T., Peeters, F., Geschwind, N., van Os, J., & Wichers, M. (2013). How does MBCT for depression work? Studying cognitive and affective mediation pathways. *Plos One*, 8(8), e72778-e72778.
- Bech, P. (1975). Quantitative rating of depressive states: Correlation between clinical assessment, beck's self-rating scale and hamilton's objective rating scale. *Acta Psychiatrica Scandinavica*, 51(3), 161-170.
- Bech, P. (1981). The Hamilton Depression Scale: Evaluation of objectivity using logistic models. *Acta Psychiatrica Scandinavica*, 63(3), 290-299.
- Bech, P., Allerup, P., Reisby, N., & Gram, L. F. (1984). Assessment of symptom change from improvement curves on the Hamilton Depression Scale in trials with antidepressants. *Psychopharmacology*, 84(2), 276-281.
- Beck, A. T. (1967). *Depression*. New York, NY: Harper and Row.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York, NY: Guilford Press.
- Beck, A. T., & Freeman, A. M. (1990). *Cognitive therapy of personality disorders*. New York, NY: Guilford Press.
- Beevers, C. G., Keitner, G. I., Ryan, C. E., & Miller, I. W. (2003). Cognitive predictors of symptom return following depression treatment. *Journal of Abnormal Psychology*, 112(3), 488.
- Beevers, C. G., Rohde, P., Stice, E., & Nolen-Hoeksema, S. (2007). Recovery from major depressive disorder among female adolescents: A prospective test of the scar hypothesis. *Journal of Consulting and Clinical Psychology*, 75(6), 888-900.
- Bennett-Levy, J., Richards, D. A., Farrand, P., Christensen, H., Griffiths, K. M., Kavanaugh, D. J., . . . Williams, C. (2010). In Bennett-Levy J., Richards D. A., Farrand P., Christensen H., Griffiths K. M., Kavanaugh D. J., . . . Williams C. (Eds.). *Oxford guide to low intensity CBT interventions*. New York, NY: Oxford University Press.
- Benvenuti, A., Rucci, P., Calugi, S., Cassano, G. B., Miniati, M., & Frank, E. (2010). Relationship of residual mood and panic-agoraphobic spectrum phenomenology to quality of life and functional impairment in patients with major depression. *International Clinical Psychopharmacology*, 25(2), 68-74.

- Berg, A., Lönnqvist, J., Palomäki, H., Kaste, M. (2009). Assessment of depression after stroke: A comparison of different screening instruments. *Stroke*, 40, 523-529.
- Bernet, C. Z., & Stein, M. B. (1999). Relationship of childhood maltreatment to the onset and course of major depression in adulthood. *Depression and Anxiety*, 9(4), 169-174.
- Beshai, S., Dobson, K. S., Bockting, C. L. H., & Quigley, L. (2011). Relapse and recurrence prevention in depression: Current research and future prospects. *Clinical Psychology Review*, 31(8), 1349-1360.
- Bieling, P. J., Hawley, L. L., Bloch, R. T., Corcoran, K. M., Levitan, R. D., Young, L. T., . . . Segal, Z. V. (2012). Treatment-specific changes in decentering following mindfulness-based cognitive therapy versus antidepressant medication or placebo for prevention of depressive relapse. *Journal of Consulting and Clinical Psychology*, 80(3).
- Bleuler, M. (1963). Conception of schizophrenia within the last fifty years and today [abridged]. *Proceedings of the Royal Society of Medicine*, 56(10), 945-952.
- Bockting, C. L. H. (2009). *Niet meer depressief*. Houten: Bohn Stafleu van Loghum.
- Bockting, C. L. H., Schene, A. H., Spinhoven, P., Koeter, M. W. J., Wouters, L. F., Huyser, J., & Kamphuis, J. H. (2005). Preventing Relapse/Recurrence in recurrent depression with cognitive therapy: A randomized controlled trial. *Journal of Consulting & Clinical Psychology*, 73(4), 647-657.
- Bockting, C. L. H., Spinhoven, P., Koeter, M. W. J., Wouters, L. F., & Schene, A. H. (2006a). Prediction of recurrence in recurrent depression and the influence of consecutive episodes on vulnerability for depression: A 2-year prospective study. *Journal of Clinical Psychiatry*, 67(5), 747-755.
- Bockting, C. L. H., Spinhoven, P., Koeter, M. W. J., Wouters, L. F., Visser, I., & Schene, A. H. (2006b). Differential predictors of response to preventive cognitive therapy in recurrent depression: A 2-year prospective study. *Psychotherapy & Psychosomatics*, 75(4), 229-236.
- Bockting, C. L. H., Spinhoven, P., Wouters, L. F., Koeter, M. W. J., & Schene, A. H. (2009). Long-term effects of preventive cognitive therapy in recurrent depression: A 5.5-year follow-up study. *J Clin Psychiatry*, 70(12), 1621-1628.
- Bockting, C. L. H., Elgersma, H. J., van Rijsbergen, G. D., de Jonge, P., Ormel, J., Buskens, E., . . . Hollon, S. D. (2011a). Disrupting the rhythm of depression: Design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. *BMC Psychiatry*, 11.
- Bockting, C. L. H., Kok, G. D., van der Kamp, Smit, F., van Valen, E., Schoevers, R., . . . Beck, A. T. (2011b). Disrupting the rhythm of depression using mobile cognitive therapy for recurrent depression: Randomized controlled trial design and protocol. *BMC Psychiatry*, 11.
- Bockting, C. L. H., Ten Doesschate, M. C., Spijker, J., Spinhoven, P., Koeter, M. W. J., & Schene, A. H. (2007). Continuation and maintenance use of antidepressants in recurrent depression. *Psychotherapy and Psychosomatics*, 77(1), 17-26.
- Bockting, C., Lok, A., Visser, I., Assies, J., Koeter, M., & Schene, A. (2012). Lower cortisol levels predict recurrence in remitted patients with recurrent depression: A 5.5 year prospective study. *Psychiatry Research*, 200(2-3), 281-7.
- Boden, M. T., & Berenbaum, H. (2010). The bidirectional relations between affect and belief. *Review of General Psychology*, 14(3), 227-239.
- Bodner, T. E. (2008). What improves with increased missing data imputations? *Structural Equation Modeling*, 15(4), 651-675.
- Boisseau, C., L., Yen, S., Markowitz, J., C., Grilo, C., M., Sanislow, C., A., Tracie Shea, , M., . . . McGlashan, T., H. (2013). Individuals with single versus multiple suicide attempts over 10 years of prospective follow-up. *Comprehensive Psychiatry*, 54(3), 238-242.
- Britton, W. B., Shahar, B., Szepeswol, O., & Jacobs, W. J. (2012). Mindfulness-based cognitive therapy improves emotional reactivity to social stress: Results from a randomized controlled trial. *Behavior Therapy*, 43(2), 365-380.
- Brosse, A. L., & Craighead, L. W. (1999). Testing the mood-state hypothesis among previously depressed and never-depressed individuals. *Behavior Therapy*, 30(1), 97.
- Brown, G. W., & Moran, P. (1994). Clinical and psychosocial origins of chronic depressive episodes: I. A community survey. *British Journal of Psychiatry*, 165(4), 447-456.
- Burcusa, S. L., & Iacono, W. G. (2007). Risk for recurrence in depression. *Clinical Psychology Review*, 27(8), 959-985.
- Bylsma, L. M., Morris, B. H., & Rottenberg, J. (2008). A meta-analysis of emotional reactivity in major depressive disorder. *Clinical Psychology Review*, 28(4), 676-691.
- Bylsma, L. M., Taylor-Clift, A., & Rottenberg, J. (2011). Emotional reactivity to daily events in major and minor depression. *Journal of Abnormal Psychology*, 120(1), 155-167.
- Carr, S. N., & Francis, A. J. P. (2010). Early maladaptive schemas and personality disorder symptoms: An examination in a non-clinical sample. *Psychology & Psychotherapy: Theory, Research & Practice*, 83(4), 333-349.
- Carroll, J. M., Yik, M. S. M., Russell, J. A., & Barrett, L. F. (1999). On the psychometric principles of affect. *Review of General Psychology*, 3(1), 14-22.

- Carter, J. S., & Garber, J. (2011). Predictors of the first onset of a major depressive episode and changes in depressive symptoms across adolescence: Stress and negative cognitions. *Journal of Abnormal Psychology, 120*(4), 779-796.
- Cella, D. F., & Perry, S. W. (1986). Reliability and concurrent validity of three visual-analogue mood scales. *Psychological Reports, 59*(2), 827-833.
- Centraal Bureau voor de Statistiek. (2013). *Bevolkingstrends 2013. Depressiviteit en antidepressiva in Nederland*.
- Chapman, A. L., Dixon-Gordon, K., & Walters, K. N. (2013). Borderline personality features moderate emotion reactivity and emotion regulation in response to a fear stressor. *Journal of Experimental Psychopathology, 4*(5), 451-470.
- Charles, S. T., Piazza, J. R., Mogle, J., Sliwinski, M. J., & Almeida, D. M. (2013). The wear and tear of daily stressors on mental health. *Psychological Science, 24*(5), 733-741.
- Charlton, P. F., & Power, M. J. (1995). The assessment of dysfunctional attitudes and their role in the onset, persistence and recurrence of clinical depression. *European Journal of Personality, 9*(5), 379-400.
- Ching, L. E., & Dobson, K. S. (2010). An investigation of extreme responding as a mediator of cognitive therapy for depression. *Behaviour Research & Therapy, 48*(4), 266-274.
- Cohen, L. H., Gunthert, K. C., Butler, A. C., O'Neill, S. C., & Tolpin, L. H. (2005). Daily affective reactivity as a prospective predictor of depressive symptoms. *Journal of Personality, 73*(6), 1687-1714.
- Collishaw, S., Pickles, A., Messer, J., Rutter, M., Shearer, C., & Maughan, B. (2007). Resilience to adult psychopathology following childhood maltreatment: Evidence from a community sample. *Child Abuse & Neglect: The International Journal, 31*(3), 211-229.
- Comijs, H. C., Beekman, A. T. F., Smit, F., Bremmer, M., van Tilburg, T., & Deeg, D. J. H. (2007). Childhood adversity, recent life events and depression in late life. *Journal of Affective Disorders, 103*(1-3), 243-246.
- Corruble, E., Legrand, J. M., Zvenigorowski, H., Duret, C., & Guelfi, J. D. (1999). Concordance between self-report and clinician's assessment of depression. *Journal of Psychiatric Research, 33*(5), 457-465.
- Costa, P. T. J., & McCrae, R. R. (1980). Influence of extraversion and neuroticism on subjective well-being: Happy and unhappy people. *Journal of Personality and Social Psychology, 38*(4), 668-678.
- Costa, P. T. J., Bagby, R. M., Herbst, J. H., & McCrae, R. R. (2005). Personality self-reports are concurrently reliable and valid during acute depressive episodes. *Journal of Affective Disorders, 89*(1-3), 45-55.
- Craighead, W. E., Sheets, E. S., Craighead, L. W., & Madsen, J. W. (2011). Recurrence of MDD: A prospective study of personality pathology and cognitive distortions. *Personality Disorders: Theory, Research, and Treatment, 2*(2), 83-97.
- Cribb, G., Moulds, M. L., & Carter, S. (2006). Rumination and experiential avoidance in depression. *Behaviour Change, 23*(3), 165-176.
- Cuijpers, P., Hollon, S. D., van Straten, A., Bockting, C., Berking, M., & Andersson, G. (2013). Does cognitive behaviour therapy have an enduring effect that is superior to keeping patients on continuation pharmacotherapy? A meta-analysis. *BMJ Open, 3*(4).
- Cuijpers, P., Li, J., Hofmann, S. G., & Andersson, G. (2010). Self-reported versus clinician-rated symptoms of depression as outcome measures in psychotherapy research on depression: A meta-analysis. *Clinical Psychology Review, 30*(6), 768-778.
- Daley, S. E., Hammen, C., & Rao, U. (2000). Predictors of first onset and recurrence of major depression in young women during the 5 years following high school graduation. *Journal of Abnormal Psychology, 109*(3), 525-533.
- Da Silva, R. A., Mograbi, D. C., Silveira, L. A. S., Nunes, A. L. S., Novis, F. D., Cavaco, P. A., Landeira-Fernandez, J., Cheniaux, E. (2013). Mood self-assessment in bipolar disorder: A comparison between patients in mania, depression, and euthymia. *Trends Psychiatry Psychother, 35*(2), 141-145.
- De Graaf, R., Ten Have, M., Van Gool, C., & Van Dorsselaar, S. (2012). Prevalentie van psychische aandoeningen en trends van 1996 tot 2009; resultaten van NEMESIS-2. *Tijdschrift Voor Psychiatrie, 54*(1), 27-38.
- DeRubeis, R. J., Evans, M. D., Hollon, S. D., Garvey, M. J., Grove, W. M., & Tuason, V. B. (1990). How does cognitive therapy work? Cognitive change and symptom change in cognitive therapy and pharmacotherapy for depression. *Journal of Consulting and Clinical Psychology, 58*(6), 862-869.
- Di Benedetto, M., Lindner, H., Hare, D. L., & Kent, S. (2005). A cardiac depression visual analogue scale for the brief and rapid assessment of depression following acute coronary syndromes. *Journal of Psychosomatic Research, 59*(4), 223-229.
- Domken, M., Scott, J., & Kelly, P. (1994). What factors predict discrepancies between self and observer ratings of depression? *Journal of Affective Disorders, 31*(4), 253-259.
- Donohue, J. M., & Pincus, H. A. (2007). Reducing the societal burden of depression: A review of economic costs, quality of care and effects of treatment. *Pharmacoeconomics, 25*(1), 7-24.
- Douma, M. (1991). *The measurement of trait depression. Construction of the Dutch Dysfunctional Attitude Scale (A Version) of Arlene Weissman*. Meerssen, The Netherlands: St. Lois Marie Jamin.
- Dozois, D. J. A., Covin, R., & Brinker, J. K. (2003). Normative data on cognitive measures of depression. *Journal of Consulting and Clinical Psychology, 71*(1), 71-80.

- Durbin, C. E., & Klein, D. N. (2006). Ten-year stability of personality disorders among outpatients with mood disorders. *Journal of Abnormal Psychology, 115*(1), 75-84.
- Dykman, B. M. (1997). A test of whether negative emotional priming facilitates access to latent dysfunctional attitudes. *Cognition and Emotion, 11*(2), 197-222.
- Eaves, G., & Rush, A. J. (1984). Cognitive patterns in symptomatic and remitted unipolar major depression. *Journal of Abnormal Psychology, 93*(1), 31-40.
- Ehring, T., Fischer, S., Schnülle, J., Bösterling, A., & Tuschen-Caffier, B. (2008). Characteristics of emotion regulation in recovered depressed versus never depressed individuals. *Personality and Individual Differences, 44*(7), 1574-1584.
- Ehring, T., Tuschen-Caffier, B., Schnülle, J., Fischer, S., & Gross, J. J. (2010). Emotion regulation and vulnerability to depression: Spontaneous versus instructed use of emotion suppression and reappraisal. *Emotion, 10*(4), 563-572.
- Engelhardt, N., Feiger, A. D., Cogger, K. O., Sikich, D., DeBrot, D. J., Lipsitz, J. D., . . . Potter, W. Z. (2006). Rating the raters: Assessing the quality of Hamilton Rating Scale for Depression clinical interviews in two industry-sponsored clinical drug trials. *Journal of Clinical Psychopharmacology, 26*(1), 71-74.
- Entsuah, R., Shaffer, M., & Zhang, J. (2002). A critical examination of the sensitivity of unidimensional subscales derived from the hamilton depression rating scale to antidepressant drug effects. *Journal of Psychiatric Research, 36*(6), 437-448.
- Farabaugh, A., Mischoulon, D., Schwartz, F., Pender, M., Fava, M., & Alpert, J. (2007). Dysfunctional attitudes and personality disorder comorbidity during long-term treatment of MDD. *Depression & Anxiety, 24*(6), 433-439.
- Farrer, L., Christensen, H., Griffiths, K. M., & Mackinnon, A. (2012). Web-based cognitive behavior therapy for depression with and without telephone tracking in a national helpline: Secondary outcomes from a randomized controlled trial. *Journal of Medical Internet Research, 14*(3).
- Fava, G. A., Grandi, S., Canestrari, R., & Molnar, G. (1990). Prodromal symptoms in primary major depressive disorder. *Journal of Affective Disorders, 19*(2), 149-152.
- Fava, G. A., Grandi, S., Zielezny, M., & Canestrari, R. (1994). Cognitive behavioral treatment of residual symptoms in primary major depressive disorder. *The American Journal of Psychiatry, 151*(9), 1295-1299.
- Fava, G. A., Ruini, C., Rafanelli, C., Finos, L., Conti, S., & Grandi, S. (2004). Six-year outcome of cognitive behavior therapy for prevention of recurrent depression. *The American Journal of Psychiatry, 161*(10), 1872-1876.
- Fava, M., Farabaugh, A. H., Sickinger, A. H., Wright, E., Alpert, J. E., Sonawalla, S., . . . Worthington, J. J., 3. (2002). Personality disorders and depression. *Psychological Medicine, 32*(6), 1049-1057.
- Ferrari, A. J., Charlson, F. J., Norman, R. E., Patten, S. B., Freedman, G., Murray, C. J. L., . . . Whiteford, H. A. (2013). Burden of depressive disorders by country, sex, age, and year: Findings from the global burden of disease study 2010. *Plos Medicine, 10*(11).
- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. W. (1995). *Structured clinical interview for DSM-IV axis I disorders, patient edition (SCID-I/P)*. New York: Biometrics Research Department, NYSPI.
- Forand, N. R., & DeRubeis, R. J. (2014). Extreme response style and symptom return after depression treatment: The role of positive extreme responding. *Journal of Consulting and Clinical Psychology*, in press.
- Fournier, J. C., DeRubeis, R. J., Shelton, R. C., Gallop, R., Amsterdam, J. D., & Hollon, S. D. (2008). Antidepressant medications v. cognitive therapy in people with depression with or without personality disorder. *The British Journal of Psychiatry, 192*(2), 124-129.
- Freedman, L. S., Graubard, B. I., & Schatzkin, A. (1992). Statistical validation of intermediate endpoints for chronic diseases. *Statistics in Medicine, 11*(2), 167-178.
- Fresco, D. M., Heimberg, R. G., Abramowitz, A., & Bertram, T. L. (2006). The effect of a negative mood priming challenge on dysfunctional attitudes, explanatory style, and explanatory flexibility. *British Journal of Clinical Psychology, 45*, 167-183.
- Fresco, D. M., Rytwinski, N. K., & Craighead, L. W. (2007). Explanatory flexibility and negative life events interact to predict depression symptoms. *Journal of Social and Clinical Psychology, 26*(5), 595-608.
- Fresco, D. M., Segal, Z. V., Buis, T., & Kennedy, S. (2007). Relationship of posttreatment decentering and cognitive reactivity to relapse in major depression. *Journal of Consulting & Clinical Psychology, 75*(3), 447-455.
- Fritz, M. S., & Mackinnon, D. P. (2007). Required sample size to detect the mediated effect. *Psychological Science, 18*(3), 233-239.
- Geschwind, N., Peeters, F., Jacobs, N., Delespaul, P., Derom, C., Thiery, E., . . . Wichers, M. (2010). Meeting risk with resilience: High daily life reward experience preserves mental health. *Acta Psychiatrica Scandinavica, 122*(2), 129-138.
- Geschwind, N., Peeters, F., Drukker, M., van Os, J., & Wichers, M. (2011). Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: A randomized controlled trial. *Journal of Consulting and Clinical Psychology, 79*(5), 618-628.
- Gilboa, E., & Gotlib, I. H. (1997). Cognitive biases and affect persistence in previously dysphoric and never-dysphoric individuals. *Cognition and Emotion, 11*(5-6), 517-538.

- Glaser, J., van Os, J., Portegijs, P. J. M., & Myin-Germeys, I. (2006). Childhood trauma and emotional reactivity to daily life stress in adult frequent attenders of general practitioners. *Journal of Psychosomatic Research*, 61(2), 229-236.
- Golder, S. A., & Macy, M. W. (2011). Diurnal and season mood vary with work, sleep, and daylength across diverse cultures. *Science*, 333(6051), 1878-1881.
- Green, D. P., Goldman, S. L., & Salovey, P. (1993). Measurement error masks bipolarity in affect ratings. *Journal of Personality and Social Psychology*, 64(6), 1029-1041.
- Grilo, C. M., Sanislow, C. A., Gunderson, J. G., Pagano, M. E., Yen, S., Zanarini, M. C., . . . McGlashan, T. H. (2004). Two-year stability and change of schizotypal, borderline, avoidant, and obsessive-compulsive personality disorders. *Journal of Consulting and Clinical Psychology*, 72(5), 767-775.
- Grilo, C. M., Stout, R. L., Markowitz, J. C., Sanislow, C. A., Ansell, E. B., Sood, K. E., . . . McGlashan, T. H. (2010). Personality disorders predict relapse after remission from an episode of major depressive disorder: A 6-year prospective study. *Journal of Clinical Psychiatry*, 71(12), 1629-1635.
- Gross, J. J. (1998). The emerging field of emotion regulation: An integrative review. *Review of General Psychology*, 2(3), 271-299.
- Gross, J. J. (2001). Emotion regulation in adulthood: Timing is everything. *Current Directions in Psychological Science*, 10(6), 214-219.
- Gross, J. J., & Muñoz, R. F. (1995). Emotion regulation and mental health. *Clinical Psychology: Science and Practice*, 2(2), 151-164.
- Guidi, J., Fava, G. A., Fava, M., & Papakostas, G. I. (2011). Efficacy of the sequential integration of psychotherapy and pharmacotherapy in major depressive disorder: A preliminary meta-analysis. *Psychological Medicine*, 321-331.
- Hakkaart-van Roijen, L., van Straten, A., Donker, M., & Tiemens, B. (2002). *Manual: Trimbos/iMTA questionnaire for costs associated with psychiatric illness (TiC-P)*. Rotterdam, The Netherlands: Institute for Medical Technology Assessment.
- Hamilton, M. (1960). A rating scale for depression. *Journal of Neurology, Neurosurgery, and Psychiatry*, 23, 56-62.
- Hammen, C. (1991). Generation of stress in the course of unipolar depression. *Journal of Abnormal Psychology*, 100(4), 555-561.
- Hammen, C. (2006). Stress generation in depression: Reflections on origins, research, and future directions. *Journal of Clinical Psychology*, 62(9), 1065-1082.
- Hammen, C., & Goodman-Brown, T. (1990). Self-schemas and vulnerability to specific life stress in children at risk for depression. *Cognitive Therapy and Research*, 14(2), 215-227.
- Hammen, C., Marks, T., DeMayo, R., & Mayol, A. (1985). Self-schemas and risk for depression: A prospective study. *Journal of Personality and Social Psychology*, 49(5), 1147-1159.
- Hansen, P. E. B., Wang, A. G., Stage, K. B., & Kragh-Sorensen, P. (2003). Comorbid personality disorder predicts suicide after major depression: A 10-year follow-up. *Acta Psychiatrica Scandinavica*, 107(6), 436.
- Hardeveld, F., Spijker, J., De Graaf, R., Nolen, W. A., & Beekman, A. T. F. (2013). Recurrence of major depressive disorder and its predictors in the general population: Results from the Netherlands mental health survey and incidence study (NEMESIS). *Psychological Medicine*, 43(1), 39-48.
- Harkness, K. L., Bagby, R. M., & Kennedy, S. H. (2012). Childhood maltreatment and differential treatment response and recurrence in adult major depressive disorder. *Journal of Consulting and Clinical Psychology*, 80(3), 342-353.
- Harkness, K. L., Bruce, A. E., & Lumley, M. N. (2006). The role of childhood abuse and neglect in the sensitization to stressful life events in adolescent depression. *Journal of Abnormal Psychology*, 115(4), 730-741.
- Headey, B., & Wearing, A. (1989). Personality, life events, and subjective well-being: Toward a dynamic equilibrium model. *Journal of Personality and Social Psychology*, 57(4), 731-739.
- Hirschfeld, R. M. A. (1999). Personality disorders and depression: Comorbidity. *Depression & Anxiety*, 10(4), 142-146.
- Hoehn-Saric, R., Lipsey, J. R., & McLeod, D. R. (1990). Apathy and indifference in patients on fluvoxamine and fluoxetine. *Journal of Clinical Psychopharmacology*, 10(5), 343-345.
- Holdgate, A., Asha, S., Craig, J., & Thompson, J. (2003). Comparison of a verbal numeric rating scale with the visual analogue scale for the measurement of acute pain. *Emergency Medicine*, 15(5-6), 441-446.
- Hollon, S. D., DeRubeis, R. J., & Evans, M. D. (1987). Causal mediation of change in treatment for depression: Discriminating between nonspecificity and noncausality. *Psychological Bulletin*, 102(1), 139-149.
- Hollon, S. D., Stewart, M. O., & Strunk, D. (2006). Enduring effects for cognitive behavior therapy in the treatment of depression and anxiety. *Annual Review of Psychology*, 57, 285-315.
- Hooijer, C., Zitman, F. G., Griez, E., & Van Tilburg, W. (1991). The Hamilton Depression Rating Scale (HDRS): Changes in scores as a function of training and version used. *Journal of Affective Disorders*, 22(1-2), 21-29.
- Hopwood, C. J., Thomas, K. M., Markon, K. E., Wright, A. G. C., & Krueger, R. F. (2012). DSM-5 personality traits and DSM-IV personality disorders. *Journal of Abnormal Psychology*, 121(2), 424-432.

- Hovens, J. G. F. M., Wiersma, J. E., Giltay, E. J., van Oppen, P., Spinhoven, P., Penninx, B. W. J. H., & Zitman, F. G. (2010). Childhood life events and childhood trauma in adult patients with depressive, anxiety and comorbid disorders vs. controls. *Acta Psychiatrica Scandinavica*, 122(1), 66-74.
- Husky, M. M., Mazure, C. M., Maciejewski, P. K., & Swendsen, J. D. (2009). Past depression and gender interact to influence emotional reactivity to daily life stress. *Cognitive Therapy and Research*, 33(3), 264-271.
- Hyler, S. E. (1994). *Personality questionnaire, PDQ-4+*. New York: New York State Psychiatric Institute.
- Hyler, S. E., Skodol, A. E., Kellman, H. D., Oldham, J. M., & Rosnick, L. (1990). Validity of the personality diagnostic Questionnaire-Revised: Comparison with two structured interviews. *The American Journal of Psychiatry*, 147(8), 1043-1048.
- Iacoviello, B. M., Alloy, L. B., Abramson, L. Y., & Choi, J. Y. (2010). The early course of depression: A longitudinal investigation of prodromal symptoms and their relation to the symptomatic course of depressive episodes. *Journal of Abnormal Psychology*, 119(3), 459-467.
- Ilardi, S. S., & Craighead, W. E. (1999). The relationship between personality pathology and dysfunctional cognition in previously depressed adults. *Journal of Abnormal Psychology*, 108(1), 51.
- Imber, S. D., Pilkonis, P. A., Sotsky, S. M., Elkin, I., Watkins, J. T., Collins, J. F., . . . Glass, D. R. (1990). Mode-specific effects among three treatments for depression. *Journal of Consulting and Clinical Psychology*, 58(3), 352-359.
- Jacobs, N., Menne-Lothmann, C., Derom, C., Thiery, E., van Os, J., & Wichers, M. (2013). Deconstructing the familiarity of variability in momentary negative and positive affect. *Acta Psychiatrica Scandinavica*, 127(4), 318-327.
- Jacobs, R. H., Reinecke, M. A., Gollan, J. K., Jordan, N., Silva, S. G., & March, J. S. (2010). Extreme thinking in clinically depressed adolescents: Results from the treatment for adolescents with depression study (TADS). *Behaviour Research & Therapy*, 48(11), 1155-1159.
- Jarrett, R. B., Minhajuddin, A., Borman, P. D., Dunlap, L., Segal, Z. V., Kidner, C. L., . . . Thase, M. E. (2012). Cognitive reactivity, dysfunctional attitudes, and depressive relapse and recurrence in cognitive therapy responders. *Behaviour Research and Therapy*, 50(5), 280-286.
- Jazaieri, H., Urry, H. L., & Gross, J. J. (2013). Affective disturbance and psychopathology: An emotion regulation perspective. *Journal of Experimental Psychopathology*, 4(5), 584-599.
- Johansson, R., Ekbladh, S., Hebert, A., Lindström, M., Möller, S., Pettit, E., . . . Andersson, G. (2012). Psychodynamic guided self-help for adult depression through the internet: A randomised controlled trial. *Plos One*, 7(5).
- Johansson, R., Sjöberg, E., Sjögren, M., Johnsson, E., Carlbring, P., Andersson, T., . . . Andersson, G. (2012). Tailored vs. standardized internet-based cognitive behavior therapy for depression and comorbid symptoms: A randomized controlled trial. *Plos One*, 7(5).
- Judd, L. L., Akiskal, H. S., Maser, J. D., Zeller, P. J., Endicott, J., Coryell, W., . . . Keller, M. B. (1998a). Major depressive disorder: A prospective study of residual subthreshold depressive symptoms as predictor of rapid relapse. *Journal of Affective Disorders*, 50(2-3), 97-108.
- Judd, L. L., Akiskal, H. S., Maser, J. D., Zeller, P. J., Endicott, J., Coryell, W., . . . Keller, M. B. (1998b). A prospective 12-year study of subsyndromal and syndromal depressive symptoms in unipolar major depressive disorders. *Archives of General Psychiatry*, 55(8), 694-700.
- Judd, L. L., Akiskal, H. S., Zeller, P. J., Paulus, M., Leon, A. C., Maser, J. D., . . . Keller, M. B. (2000). Psychosocial disability during the long-term course of unipolar major depressive disorder. *Archives of General Psychiatry*, 57(4), 375-380.
- Kazdin, A. E. (2007). Mediators and mechanisms of change in psychotherapy research. *Annual Review of Clinical Psychology*, 3, 1-27.
- Kendler, K. S., Thornton, L. M., & Gardner, C. O. (2001). Genetic risk, number of previous depressive episodes, and stressful life events in predicting onset of major depression. *The American Journal of Psychiatry*, 158(4), 582-586.
- Kennedy, N., & Paykel, E. S. (2004). Residual symptoms at remission from depression: Impact on long-term outcome. *Journal of Affective Disorders*, 80(2-3), 135-144.
- Kertzman, S., Aladjem, Z., Milo, R., Ben-Nahum, Z., Birger, M., Grinspan, H., . . . Kotler, M. (2004). The utility of the visual analogue scale for the assessment of depressive mood in cognitively impaired patients. *International Journal of Geriatric Psychiatry*, 19(8), 789-796.
- Kessler, R. C., Davis, C. G., & Kendler, K. S. (1997). Childhood adversity and adult psychiatric disorder in the US national comorbidity survey. *Psychological Medicine*, 27(5), 1101-1119.
- Kessler, R. C., Petukhova, M., Sampson, N. A., Zaslavsky, A. M., & Wittchen, H. (2012). Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the united states. *International Journal of Methods in Psychiatric Research*, 21(3), 169-184.
- Killgore, W. D. S. (1999). The visual analogue mood scale: Can a single-item scale accurately classify depressive mood state? *Psychological Reports*, 85(3), 1238-1243.
- Klein, D. N., Arnow, B. A., Barkin, J. L., Dowling, F., Kocsis, J. H., Leon, A. C., . . . Wisniewski, S. R. (2009). Early adversity in chronic depression: Clinical correlates and response to pharmacotherapy. *Depression and Anxiety*, 26(8), 701-710.

- Kovacs, M., Rottenberg, J., & George, C. (2009). Maladaptive mood repair responses distinguish young adults with early-onset depressive disorders and predict future depression outcomes. *Psychological Medicine*, 39(11), 1841-1854.
- Kraaij, V., & de Wilde, E. J. (2001). Negative life events and depressive symptoms in the elderly: A life span perspective. *Aging & Mental Health*, 5(1), 84-91.
- Kraemer, H. C., Wilson, G. T., Fairburn, C. G., & Agras, W. S. (2002). Mediators and moderators of treatment effects in randomized clinical trials. *Archives of General Psychiatry*, 59(10), 877-883.
- Kupfer, D. J. (1991). Long-term treatment of depression. *Journal of Clinical Psychiatry*, 52, 28-34.
- Kuppens, P., Oravecz, Z., & Tuerlinckx, F. (2010). Feelings change: Accounting for individual differences in the temporal dynamics of affect. *Journal of Personality and Social Psychology*, 99(6), 1042-1060.
- Kuppens, P., Sheeber, L. B., Yap, M. B. H., Whittle, S., Simmons, J. G., & Allen, N. B. (2012). Emotional inertia prospectively predicts the onset of depressive disorder in adolescence. *Emotion*, 12(2), 283-289.
- Kuppens, P., Van Mechelen, I., Nezlek, J. B., Dossche, D., & Timmermans, T. (2007). Individual differences in core affect variability and their relationship to personality and psychological adjustment. *Emotion*, 7(2), 262-274.
- Kuyken, W., Watkins, E., Holden, E., White, K., Taylor, R. S., Byford, S., . . . Dalgleish, T. (2010). How does mindfulness-based cognitive therapy work? *Behaviour Research and Therapy*, 48(11), 1105-1112.
- LaNoue, M., Graeber, D., Hernandez, B., Warner, T., & Helitzer, D. (2012). Direct and indirect effects of childhood adversity on adult depression. *Community Mental Health Journal*, 48(2), 187-192.
- Lau, M. A., Haigh, E. A. P., Christensen, B. K., Segal, Z. V., & Taube-Schiff, M. (2012). Evaluating the mood state dependence of automatic thoughts and dysfunctional attitudes in remitted versus never-depressed individuals. *Journal of Cognitive Psychotherapy*, 26(4), 381-389.
- Lau, M. A., Segal, Z. V., & Williams, J. M. (2004). Teasdale's differential activation hypothesis: Implications for mechanisms of depressive relapse and suicidal behaviour. *Behaviour Research & Therapy*, 42(9), 1001-1017.
- Lethbridge, R., & Allen, N. B. (2008). Mood induced cognitive and emotional reactivity, life stress, and the prediction of depressive relapse. *Behaviour Research & Therapy*, 46(10), 1142-1150.
- Lewinsohn, P. M., Allen, N. B., Seeley, J. R., & Gotlib, I. H. (1999). First onset versus recurrence of depression: Differential processes of psychosocial risk. *Journal of Abnormal Psychology*, 108(3), 483-489.
- Lewinsohn, P. M., Joiner, T. E. J., & Rohde, P. (2001). Evaluation of cognitive diathesis-stress models in predicting major depressive disorder in adolescents. *Journal of Abnormal Psychology*, 110(2), 203-215.
- Lewinsohn, P. M., Petit, J. W., Joiner, T. E. J., & Seeley, J. R. (2003). The symptomatic expression of major depressive disorder in adolescents and young adults. *Journal of Abnormal Psychology*, 112(2), 244-252.
- Lewinsohn, P. M., Rohde, P., Seeley, J. R., Klein, D. N., & Gotlib, I. H. (2000). Natural course of adolescent major depressive disorder in a community sample: Predictors of recurrence in young adults. *The American Journal of Psychiatry*, 157(10), 1584-1591.
- Lingjærde, O., & Førelund, A. R. (1998). Direct assessment of improvement in winter depression with a visual analogue scale: High reliability and validity. *Psychiatry Research*, 81(3), 387-392.
- Little, J. C., & McPhail, N. I. (1973). Measures of depressive mood at monthly intervals. *British Journal of Psychiatry*, 122(569), 447-452.
- Liu, R. T., & Alloy, L. B. (2010). Stress generation in depression: A systematic review of the empirical literature and recommendations for future study. *Clinical Psychology Review*, 30(5), 582-593.
- Liu, R. T., Choi, J. Y., Boland, E. M., Mastin, B. M., & Alloy, L. B. (2013). Childhood abuse and stress generation: The mediational effect of depressogenic cognitive styles. *Psychiatry Research*, 206(2-3), 217-222.
- Lizardi, H., & Klein, D. N. (2005). Long-term stability of parental representations in depressed outpatients utilizing the parental bonding instrument. *Journal of Nervous and Mental Disease*, 193(3), 183-188.
- Lopez-Castroman, J., Galfalvy, H., Currier, D., Stanley, B., Blasco-Fontecilla, H., Baca-Garcia, E., . . . Oquendo, M. A. (2012). Personality disorder assessments in acute depressive episodes: Stability at follow-up. *Journal of Nervous & Mental Disease*, 200(6), 526-530.
- Lucas, R. E., Clark, A. E., Georgellis, Y., & Diener, E. (2003). Reexamining adaptation and the set point model of happiness: Reactions to changes in marital status. *Journal of Personality and Social Psychology*, 84(3), 527-539.
- Lucas, R. E., Clark, A. E., Georgellis, Y., & Diener, E. (2004). Unemployment alters the set point for life satisfaction. *Psychological Science*, 15(1), 8-13.
- Luria, R. E. (1975). The validity and reliability of the visual analogue mood scale. *Journal of Psychiatric Research*, 12(1), 51-57.
- Maas-van Schaaijk, N. M., Odink, R. J., Ultee, K., & van Baar, A. L. (2011). Can one question be a useful indicator of psychosocial problems in adolescents with diabetes mellitus? *Acta Paediatrica*, 100(5), 708-711.
- MacKinnon, D. P., Fairchild, A. J., & Fritz, M. S. (2007). Mediation analysis. *Annual Review of Psychology*, 58, 593-614.
- Maier, W., & Philipp, M. (1985). Comparative analysis of observer depression scales. *Acta Psychiatrica Scandinavica*, 72(3), 239-245.

- Maj, M., Veltro, F., Pirozzi, R., Lobrace, S., & Magliano, L. (1992). Pattern of recurrence of illness after recovery from an episode of major depression: A prospective study. *The American Journal of Psychiatry*, 149(6), 795-800.
- Maldonado, G., & Greenland, S. (1993). Simulation study of confounder-selection strategies. *American Journal of Epidemiology*, 138(11), 923-936.
- Marco, C. A., & Suls, J. (1993). Daily stress and the trajectory of mood: Spillover, response assimilation, contrast, and chronic negative affectivity. *Journal of Personality and Social Psychology*, 64(6), 1053-1063.
- Martin, M. (1990). On the induction of mood. *Clinical Psychology Review*, 10(6), 669-697.
- Mathers, C. D., & Loncar, D. (2006). Projections of global mortality and burden of disease from 2002 to 2030. *PLoS Medicine*, 3(11), 2011-2030.
- Mazure, C. M. (1998). Life stressors as risk factors in depression. *Clinical Psychology: Science and Practice*, 5(3), 291-313.
- McCormack, H. M., Horne, D. J., & Sheather, S. (1988). Clinical applications of visual analogue scales: A critical review. *Psychological Medicine*, 18(4), 1007-1019.
- McHoskey, J. W. (2001). Machiavellianism and personality dysfunction. *Personality and Individual Differences*, 31(5), 791-798.
- McKenzie, N., & Marks, I. (1999). Quick rating of depressed mood in patients with anxiety disorders. *The British Journal of Psychiatry*, 174, 266-269.
- McLaughlin, K. A., Conron, K. J., Koenen, K. C., & Gilman, S. E. (2010). Childhood adversity, adult stressful life events, and risk of past-year psychiatric disorder: A test of the stress sensitization hypothesis in a population-based sample of adults. *Psychological Medicine*, 40(10), 1647-1658.
- Melartin, T. K., Haukka, J., Ryttsälä, H., Jylhä, P., & Isometsä, E. T. (2010). Categorical and dimensional stability of comorbid personality disorder symptoms in DSM-IV major depressive disorder: A prospective study. *The Journal of Clinical Psychiatry*, 71(3), 287-295.
- Mendonça-de-Souza, A. C. F., Souza, G. G. L., Vieira, A., Fischer, N. L., Souza, W. F., Rumjanek, V. M., . . . Volchan, E. (2007). Negative affect as a predisposing factor for cortisol release after an acute stress - The impact of unpleasant priming. *Stress*, 10(4), 362-367.
- Michalak, J., Hölz, A., & Teismann, T. (2011). Rumination as a predictor of relapse in mindfulness-based cognitive therapy for depression. *Psychology & Psychotherapy: Theory, Research & Practice*, 84(2), 230-236.
- Miranda, J., & Persons, J. B. (1990). Endorsement of dysfunctional beliefs depends on current mood states. *Journal of Abnormal Psychology*, 99(3), 237.
- Miranda, J., Gross, J. J., Persons, J. B., & Hahn, J. (1998). Mood matters: Negative mood induction activates dysfunctional attitudes in women vulnerable to depression. *Cognitive Therapy & Research*, 22(4), 363-376.
- Miranda, J., & Persons, J. B. (1988). Dysfunctional attitudes are mood-state dependent. *Journal of Abnormal Psychology*, 97(1), 76-79.
- Mitchell, A. J., & Coyne, J. C. (2007). Do ultra-short screening instruments accurately detect depression in primary care? A pooled analysis and meta-analysis of 22 studies. *Br J Gen Pract*, 57, 144-151.
- Mitchell, A. J., McGlinchey, J. B., Young, D., Chelminski, I., & Zimmerman, M. (2009). Accuracy of specific symptoms in the diagnosis of major depressive disorder in psychiatric out-patients: Data from the MIDAS project. *Psychological Medicine*, 39(7), 1107-1116.
- Mitchell, A. J., Baker-Glenn, E., Granger, L., & Symonds, P. (2010). Can the distress thermometer be improved by additional mood domains? Part I. Initial validation of the emotion thermometers tool. *Psycho-Oncology*, 19(2), 125-133.
- Mitchell, A. J., Morgan, J. P., Petersen, D., Fabbri, S., Fayard, C., Stoletny, L., & Chiong, J. (2012). Validation of simple visual-analogue thermometer screen for mood complications of cardiovascular disease: The emotion thermometers. *Journal of Affective Disorders*, 136(3), 1257-1263.
- Moberly, N. J., & Watkins, E. R. (2008). Ruminative self-focus, negative life events, and negative affect. *Behaviour Research and Therapy*, 46(9), 1034-1039.
- Mohan, H., Ryan, J., Whelan, B., & Wakai, A. (2010). The end of the line? The visual analogue scale and verbal numerical rating scale as pain assessment tools in the emergency department. *Emergency Medicine Journal*, 27(5), 372-375.
- Monroe, S. M., & Harkness, K. L. (2005). Life stress, the "kindling" hypothesis, and the recurrence of depression: Considerations from a life stress perspective. *Psychological Review*, 112(2), 417-445.
- Monroe, S. M., Roberts, J. E., Kupfer, D. J., & Frank, E. (1996). Life stress and treatment course of recurrent depression: II. Postrecovery associations with attrition, symptom course, and recurrence over 3 years. *Journal of Abnormal Psychology*, 105(3), 313-328.
- Monroe, S. M., Torres, L. D., Guillaumot, J., Harkness, K. L., Roberts, J. E., Frank, E., & Kupfer, D. (2006). Life stress and the long-term treatment course of recurrent depression: III. Nonsevere life events predict recurrence for medicated patients over 3 years. *Journal of Consulting and Clinical Psychology*, 74(1), 112-120.
- Mor, N., Doane, L. D., Adam, E. K., Mineka, S., Zinbarg, R. E., Griffith, J. W., . . . Nazarian, M. (2010). Within-person variations in self-focused attention and negative affect in depression and anxiety: A diary study. *Cognition and Emotion*, 24(1), 48-62.

- Morey, L. C., Shea, M. T., Markowitz, J. C., Stout, R. L., Hopwood, C. J., Gunderson, J. G., . . . Skodol, A. E. (2010). State effects of major depression on the assessment of personality and personality disorder. *American Journal of Psychiatry*, 167(5), 528-535.
- Morisky, D. E., Green, L. W., & Levine, D. M. (1986). Concurrent and predictive validity of a self-reported measure of medication adherence. *Medical Care*, 24(1), 67-74.
- Morris, B. H., Bylsma, L. M., & Rottenberg, J. (2009). Does emotion predict the course of major depressive disorder? A review of prospective studies. *British Journal of Clinical Psychology*, 48(3), 255-273.
- Moulds, M. L., Kandris, E., Starr, S., & Wong, A. C. M. (2007). The relationship between rumination, avoidance and depression in a non-clinical sample. *Behaviour Research & Therapy*, 45(2), 251-261.
- Mueller, T. I., & Leon, A. C. (1999). Recurrence after recovery from major depressive disorder during 15 years of observational follow-up. *American Journal of Psychiatry*, 156(7), 1000.
- Myin-Germeys, I., Peeters, F., Havermans, R., Nicolson, N. A., DeVries, M. W., Delespaul, P., & Van Os, J. (2003). Emotional reactivity to daily life stress in psychosis and affective disorder: An experience sampling study. *Acta Psychiatrica Scandinavica*, 107(2), 124-131.
- Nagelkerke, N. J. D. (1991). A note on a general definition of the coefficient of determination. *Biometrika*, 78(3), 691-692.
- Nanni, V., Uher, R., & Danese, A. (2012). Childhood maltreatment predicts unfavorable course of illness and treatment outcome in depression: A meta-analysis. *The American Journal of Psychiatry*, 169(2), 141-151.
- National Institute for Health and Clinical Excellence. (2009). The treatment and management of depression in adults. NICE clinical guideline 90. Retrieved July 1, 2013 from <http://publications.nice.org.uk/depression-in-adults-cg90>.
- Nemeroff, C. B., Heim, C. M., Thase, M. E., Klein, D. N., Rush, A. J., Schatzberg, A. F., . . . Keller, M. B. (2003). Differential responses to psychotherapy versus pharmacotherapy in patients with chronic forms of major depression and childhood trauma. *Proceedings of the National Academy of Sciences of the United States of America*, 100(24), 14293-14296.
- Newton-Howes, G., Tyrer, P., & Johnson, T. (2006). Personality disorder and the outcome of depression: Meta-analysis of published studies. *The British Journal of Psychiatry*, 188(1), 13-20.
- Nolen-Hoeksema, S. (1991). Responses to depression and their effects on the duration of depressive episodes. *Journal of Abnormal Psychology*, 100(4), 569-582.
- Nolen-Hoeksema, S. (2000). The role of rumination in depressive disorders and mixed anxiety/depressive symptoms. *Journal of Abnormal Psychology*, 109(3), 504-511.
- Nyenhuys, D. L., Stern, R. A., Yamamoto, C., Luchetta, T., & Arruda, J. E. (1997). Standardization and validation of the visual analog mood scales. *Clinical Neuropsychologist*, 11(4), 407-415.
- O'Hara, R. E., Armeli, S., Boynton, M. H., & Tennen, H. (2014). Emotional stress-reactivity and positive affect among college students: The role of depression history. *Emotion*, 14(1), 193-202.
- Opbroek, A., Delgado, P. L., Laukes, C., McGahuey, C., Katsanis, J., Moreno, F. A., & Manber, R. (2002). Emotional blunting associated with SSRI-induced sexual dysfunction. Do SSRIs inhibit emotional responses? *International Journal of Neuropsychopharmacology*, 5(2), 147-151.
- Ormel, J., Oldehinkel, A. J., & Brilman, E. I. (2001). The interplay and etiological continuity of neuroticism, difficulties, and life events in the etiology of major and subsyndromal, first and recurrent depressive episodes in later life. *The American Journal of Psychiatry*, 158(6), 885-891.
- Østergaard, S. D., Jensen, S. O. W., & Bech, P. (2011). The heterogeneity of the depressive syndrome: When numbers get serious. *Acta Psychiatrica Scandinavica*, 124(6), 495-496.
- Otto, M. W., Teachman, B. A., Cohen, L. S., Soares, C. N., Vitonis, A. F., & Harlow, B. L. (2007). Dysfunctional attitudes and episodes of major depression: Predictive validity and temporal stability in never-depressed, depressed, and recovered women. *Journal of Abnormal Psychology*, 116(3), 475-483.
- Parker, G., Gladstone, G., Mitchell, P., Wilhelm, K., & Roy, K. (2000). Do early adverse experiences establish a cognitive vulnerability to depression on exposure to mirroring life events in adulthood? *Journal of Affective Disorders*, 57(1-3), 209-215.
- Paul-Dauphin, A., Guillemin, F., Virion, J., & Briançon, S. (1999). Bias and precision in visual analogue scales: A randomized controlled trial. *American Journal of Epidemiology*, 150(10), 1117-1127.
- Paykel, E. S., Ramana, R., Cooper, Z., & Hayhurst, H. (1995). Residual symptoms after partial remission: An important outcome in depression. *Psychological Medicine*, 25(6), 1171-1180.
- Peeters, F., Berkhof, J., Rottenberg, J., & Nicolson, N. A. (2010). Ambulatory emotional reactivity to negative daily life events predicts remission from major depressive disorder. *Behaviour Research & Therapy*, 48(8), 754-760.
- Peeters, F., Nicolson, N. A., Berkhof, J., Delespaul, P., & deVries, M. (2003). Effects of daily events on mood states in major depressive disorder. *Journal of Abnormal Psychology*, 112(2), 203-211.
- Pencina, M. J., D'Agostino, R. B., Sr, D'Agostino, R. B., Jr, & Vasan, R. S. (2008). Evaluating the added predictive ability of a new marker: From area under the ROC curve to reclassification and beyond. *Statistics in Medicine*, 27(2), 157-172.
- Pencina, M. J., D'Agostino, R. B., & Vasan, R. S. (2010). Statistical methods for assessment of added usefulness of new biomarkers. *Clinical Chemistry & Laboratory Medicine*, 48(12), 1703-1711.

- Petersen, T. J., Feldman, G., Harley, R., Fresno, D. M., Graves, L., Holmes, A., . . . Segal, Z. V. (2007). Extreme response style in recurrent and chronically depressed patients: Change with antidepressant administration and stability during continuation treatment. *Journal of Consulting & Clinical Psychology, 75*(1), 145-153.
- Piet, J., & Hougaard, E. (2011). The effect of mindfulness-based cognitive therapy for prevention of relapse in recurrent major depressive disorder: A systematic review and meta-analysis. *Clinical Psychology Review, 31*(6), 1032-1040.
- Pilkonis, P. A., & Frank, E. (1988). Personality pathology in recurrent depression: Nature, prevalence, and relationship to treatment response. *The American Journal of Psychiatry, 145*(4), 435-441.
- Plaisier, I., Beekman, A. T. F., de Graaf, R., Smit, J. H., van Dyck, R., & Penninx, B. W. J. H. (2010). Work functioning in persons with depressive and anxiety disorders: The role of specific psychopathological characteristics. *Journal of Affective Disorders, 125*(1-3), 198-206.
- Post, R. M. (1992). Transduction of psychosocial stress into the neurobiology of recurrent affective disorder. *The American Journal of Psychiatry, 149*(8), 999-1010.
- Potts, M. K., Daniels, M., Burnam, M. A., & Wells, K. B. (1990). A structured interview version of the Hamilton Depression Rating Scale: Evidence of reliability and versatility of administration. *Journal of Psychiatric Research, 24*(4), 335-350.
- Pretzer, J. L., & Beck, A. T. (1996). A cognitive theory of personality disorders. In J. F. Clarkin, & M. F. Lenzenweger (Eds.), (pp. 36-105). New York, NY: Guilford Press.
- Price, J., Cole, V., & Goodwin, G. M. (2009). Emotional side-effects of selective serotonin reuptake inhibitors: Qualitative study. *The British Journal of Psychiatry, 195*(3), 211-217.
- Radkovsky, A., McArdle, J. J., Bockting, C. L. H., & Berking, M. (2014). Successful emotion regulation skills application predicts subsequent reduction of symptom severity during treatment of major depressive disorder. *Journal of Consulting and Clinical Psychology*, in press.
- Raes, F., & Hermans, D. (2007). *The revised version of the Dutch ruminative response scale*. Unpublished instrument.
- Riskind, J. H., Kleiman, E. M., & Schafer, K. E. (2013). 'Undoing' effects of positive affect: Does it buffer the effects of negative affect in predicting changes in depression? *Journal of Social & Clinical Psychology, 32*(4), 363-380.
- Ritchie, K., Jausse, I., Stewart, R., Dupuy, A., Courtet, P., Ancelin, M., & Malafose, A. (2009). Association of adverse childhood environment and 5-HTTLPR genotype with late-life depression. *The Journal of Clinical Psychiatry, 70*(9), 1281-1288.
- Roberts, J. E., & Kassel, J. D. (1996). Mood-state dependence in cognitive vulnerability to depression: The roles of positive & negative affect. *Cognitive Therapy and Research, 20*(1), 1-12.
- Romera, I., Pérez, V., Ciudad, A., Caballero, L., Roca, M., Polavieja, P., & Gilaberte, I. (2013). Residual symptoms and functioning in depression, does the type of residual symptom matter? A post-hoc analysis. *BMC Psychiatry, 13*.
- Rosenthal, D. (1963). A suggested conceptual framework. In D. Rosenthal (Ed.), (pp. 505-511). New York, NY: Basic Books.
- Rottenberg, J. (2005). Mood and emotion in major depression. *Current Directions in Psychological Science, 14*(3), 167-170.
- Rottenberg, J., Kasch, K. L., Gross, J. J., & Gotlib, I. H. (2002). Sadness and amusement reactivity differentially predict concurrent and prospective functioning in major depressive disorder. *Emotion, 2*(2), 135-146.
- Rubin, D. M. (1987). *Multiple imputation for nonresponse in surveys*. New York: J. Wiley & Sons.
- Rucci, P., Frank, E., Calugi, S., Miniati, M., Benvenuti, A., Wallace, M., . . . Cassano, G. B. (2011). Incidence and predictors of relapse during continuation treatment of major depression with SSRI, interpersonal psychotherapy, or their combination. *Depression and Anxiety, 28*(11), 955-962.
- Ruhé, H. G., Dekker, J. J., Peen, J., Holman, R., & De Jonghe, F. (2005). Clinical use of the Hamilton Depression Rating Scale: Is increased efficiency possible? A post hoc comparison of Hamilton Depression Rating Scale, Maier and Bech subscales, clinical global impression, and symptom checklist-90 scores. *Comprehensive Psychiatry, 46*(6), 417-427.
- Rush, A. J., Giles, D. E., Schlusser, M. A., & Fulton, C. L. (1986). The inventory for depressive symptomatology (IDS): Preliminary findings. *Psychiatry Research, 18*(1), 65-87.
- Rush, A. J., Gullion, C. M., Basco, M. R., Jarrett, R. B., & Trivedi, M. H. (1996). The inventory of depressive symptomatology (IDS): Psychometric properties. *Psychological Medicine, 26*(3), 477-486.
- Rush, A. J., Trivedi, M. H., Ibrahim, H. M., Carmody, T. J., Arnow, B., Klein, D. N., . . . Keller, M. B. (2003). The 16-item quick inventory of depressive symptomatology (QIDS), clinician rating (QIDS-C), and self-report (QIDS-SR): A psychometric evaluation in patients with chronic major depression. *Biological Psychiatry, 54*(5), 573-583.
- Rush, A. J., Weissenburger, J., & Eaves, G. (1986). Do thinking patterns predict depressive symptoms? *Cognitive Therapy and Research, 10*(2), 225-235.
- Russell, J. A. (1980). A circumplex model of affect. *Journal of Personality and Social Psychology, 39*(6), 1161-1178.
- Russell, J. A. (2003). Core affect and the psychological construction of emotion. *Psychological Review, 110*(1), 145-172.

- Samuel, D. B., Hopwood, C. J., Ansell, E. B., Morey, L. C., Sanislow, C. A., Markowitz, J. C., . . . Grilo, C. M. (2011). Comparing the temporal stability of self-report and interview assessed personality disorder. *Journal of Abnormal Psychology, 120*(3), 670-680.
- Sato, T., Sakado, K., Sato, S., & Morikawa, T. (1994). Cluster A personality disorder: A marker of worse treatment outcome of major depression? *Psychiatry Research, 53*(2), 153-159.
- Schaffer, J. L., & Graham, J. W. (2002). Missing data: Our view of the state of the art. *Psychological Methods, 7*(2), 147-177.
- Schroevers, M. J., & Brandsma, R. (2010). Is learning mindfulness associated with improved affect after mindfulness-based cognitive therapy? *British Journal of Psychology, 101*, 95-107.
- Schulte-van Maaren, Y. W. M., Carlier, I. V. E., Zitman, F. G., van Hemert, A. M., de Waal, M. W. M., van, d. D., . . . Giltay, E. J. (2013). Reference values for major depression questionnaires: The Leiden routine outcome monitoring study. *Journal of Affective Disorders, 149*(1-3), 342-349.
- Segal, Z. V. (1988). Appraisal of the self-schema construct in cognitive models of depression. *Psychological Bulletin, 103*(2), 147-162.
- Segal, Z. V., Gemar, M., & Williams, S. (1999). Differential cognitive response to a mood challenge following successful cognitive therapy or pharmacotherapy for unipolar depression. *Journal of Abnormal Psychology, 108*(1), 3.
- Segal, Z. V., Kennedy, S., Gemar, M., Hood, K., Pedersen, R., & Buis, T. (2006). Cognitive reactivity to sad mood provocation and the prediction of depressive relapse. *Archives of General Psychiatry, 63*(7), 749-755.
- Shahar, B., Britton, W. B., Sbarra, D. A., Figueredo, A. J., & Bootzin, R. R. (2010). Mechanisms of change in mindfulness-based cognitive therapy for depression: Preliminary evidence from a randomized controlled trial. *International Journal of Cognitive Therapy, 3*(4), 402-418.
- Shea, M. T., Stout, R., Gunderson, J., Morey, L. C., Grilo, C. M., McGlashan, T., . . . Keller, M. B. (2002). Short-term diagnostic stability of schizotypal, borderline, avoidant, and obsessive-compulsive personality disorders. *The American Journal of Psychiatry, 159*(12), 2036-2041.
- Shea, M. T., Pilkonis, P. A., Beckham, E., Collins, J. F., Elkin, I., Sotsky, S. M., & Docherty, J. P. (1990). Personality disorders and treatment outcome in the NIMH treatment of depression collaborative research program. *The American Journal of Psychiatry, 147*(6), 711-718.
- Sieswerda, S., Barnow, S., Verheul, R., & Arntz, A. (2013). Neither dichotomous nor split, but schema-related negative interpersonal evaluations characterize borderline patients. *Journal of Personality Disorders, 27*(1), 36-52.
- Silverman, J. S., Silverman, J. A., & Eardley, D. A. (1984). Do maladaptive attitudes cause depression? *Archives of General Psychiatry, 41*(1), 28-30.
- Simon, G. E., Revicki, D., & VonKorff, M. (1993). Telephone assessment of depression severity. *Journal of Psychiatric Research, 27*(3), 247-252.
- Simons, A. D., Garfield, S. L., & Murphy, G. E. (1984). The process of change in cognitive therapy and pharmacotherapy for depression. Changes in mood and cognition. *Archives of General Psychiatry, 41*(1), 45-51.
- Simons, A. D., Murphy, G. E., Levine, J. L., & Wetzel, R. D. (1986). Cognitive therapy and pharmacotherapy for depression: Sustained improvement over one year. *Archives of General Psychiatry, 43*(1), 43-48.
- Skodol, A. E., Grilo, C. M., Keyes, K. M., Geier, T., Grant, B. F., & Hasin, D. S. (2011). Relationship of personality disorders to the course of major depressive disorder in a nationally representative sample. *The American Journal of Psychiatry, 168*(3), 257-264.
- Smith, J. M., Grandin, L. D., Alloy, L. B., & Abramson, L. Y. (2006). Cognitive vulnerability to depression and axis II personality dysfunction. *Cognitive Therapy & Research, 30*(5), 609-621.
- Solomon, D. A., Keller, M. B., Leon, A. C., Mueller, T. I., Lavori, P. W., Shea, M. T., . . . Endicott, J. (2000). Multiple recurrences of major depressive disorder. *The American Journal of Psychiatry, 157*(2), 229-233.
- Spinhoven, P., Elzinga, B. M., Hovens, J. G. F. M., Roelofs, K., Zitman, F. G., van Oppen, P., & Penninx, B. W. J. H. (2010). The specificity of childhood adversities and negative life events across the life span to anxiety and depressive disorders. *Journal of Affective Disorders, 126*(1-2), 103-112.
- Spitzer, R. L., Williams, J. B. W., Gibbon, M., & First, M. B. (1990). *User's guide for the structured clinical interview for DSM-III-R: SCID*. Washington, DC: American Psychiatric Association.
- Stroud, C. B., Davila, J., Hammen, C., & Vrshek-Schallhorn, S. (2011). Severe and nonsevere events in first onsets versus recurrences of depression: Evidence for stress sensitization. *Journal of Abnormal Psychology, 120*(1), 142-154.
- Strunk, D. R., DeRubeis, R. J., Chiu, A. W., & Alvarez, J. (2007). Patients' competence in and performance of cognitive therapy skills: Relation to the reduction of relapse risk following treatment for depression. *Journal of Consulting and Clinical Psychology, 75*(4), 523-530.
- Suijja, K., Aluoja, A., Kalda, R., & Maaroos, H. (2011). Factors associated with recurrent depression: A prospective study in family practice. *Family Practice, 28*(1), 22-28.
- Taylor, D. J., Walters, H. M., Vittengl, J. R., Krebaum, S., & Jarrett, R. B. (2009). Which depressive symptoms remain after response to cognitive therapy of depression and predict relapse and recurrence? *Journal of Affective Disorders, 123*(1-3): 181-7.

- Teasdale, J. D. (1988). Cognitive vulnerability to persistent depression. *Cognition and Emotion*, 2(3), 247-274.
- Teasdale, J. D., Moore, R. G., Hayhurst, H., Scott, J., Pope, M., & Paykel, E. S. (2001). How does cognitive therapy prevent relapse in residual depression? Evidence from a controlled trial. *Journal of Consulting & Clinical Psychology*, 69(3), 347.
- Ten Doesschate, M. C., Bockting, C. L. H., Koeter, M. W. J., & Schene, A. H. (2010a). Prediction of recurrence in recurrent depression: A 5.5-year prospective study. *Journal of Clinical Psychiatry*, 71(8), 984-991.
- Ten Doesschate, M. C., Bockting, C. L. H., & Schene, A. H. (2009). Adherence to continuation and maintenance antidepressant use in recurrent depression. *Journal of Affective Disorders*, 115(1), 167-170.
- Ten Doesschate, M. C., Koeter, M. W. J., Bockting, C. L. H., & Schene, A. H. (2010b). Health related quality of life in recurrent depression: A comparison with a general population sample. *Journal of Affective Disorders*, 120(1-3), 126-132.
- Thase, M. E., Simons, A. D., McGeary, J., Cahalane, J. F., Hughes, C., Harden, T., & Friedman, E. (1992). Relapse after cognitive behavior therapy of depression: Potential implications for longer courses of treatment. *The American Journal of Psychiatry*, 149(8), 1046-1052.
- Thompson, R. J., Mata, J., Jaeggi, S. M., Buschkuhl, M., Jonides, J., & Gotlib, I. H. (2012). The everyday emotional experience of adults with major depressive disorder: Examining emotional instability, inertia, and reactivity. *Journal of Abnormal Psychology*, 121(4), 819-829.
- Treynor, W., Gonzalez, R., & Nolen-Hoeksema, S. (2003). Rumination reconsidered: A psychometric analysis. *Cognitive Therapy and Research*, 27(3), 247-259.
- Tugade, M. M., & Fredrickson, B. L. (2004). Resilient individuals use positive emotions to bounce back from negative emotional experiences. *Journal of Personality and Social Psychology*, 86(2), 320-333.
- Tyrka, A. R., Price, L. H., Marsit, C., Walters, O. C., & Carpenter, L. L. (2012). Childhood adversity and epigenetic modulation of the leukocyte glucocorticoid receptor: Preliminary findings in healthy adults. *PLoS ONE*, 7(1).
- Uher, R., Perlis, R. H., Placentino, A., Dernovšek, M. Z., Henigsberg, N., Mors, O., . . . Farmer, A. (2012). Self-report and clinician-rated measures of depression severity: Can one replace the other? *Depression and Anxiety*, 29(12), 1043-1049.
- Van der Does, A. J. W. (2002). Different types of experimentally induced sad mood? *Behavior Therapy*, 33(4), 551.
- Van der Does, A. J. W. (2005). Thought suppression and cognitive vulnerability to depression. *British Journal of Clinical Psychology*, 44(1), 1-14.
- Van Rijsbergen, G. D., Bockting, C. L. H., Berking, M., Koeter, M. W. J., & Schene, A. H. (2012). Can a one-item mood scale do the trick? Predicting relapse over 5.5-years in recurrent depression. *PLoS ONE*, 7(10).
- Van Rijsbergen, G. D., Bockting, C. L. H., Burger, H., Spinhoven, P., Koeter, M. W. J., Ruhé, H. G., . . . Schene, A. H. (2013). Mood reactivity rather than cognitive reactivity is predictive of depressive relapse: A randomized study with 5.5-year follow-up. *Journal of Consulting and Clinical Psychology*, 81(3), 508-517.
- Van Velzen, Carol J. M., Luteijn, F., Scholing, A., van Hout, Wiljo J. P. J., & Emmelkamp, P. M. G. (1999). The efficacy of the Personality Diagnostic Questionnaire Revised as a diagnostic screening instrument in an anxiety disorder group. *Clinical Psychology & Psychotherapy*, 6(5), 395-403.
- Veen, G., & Arntz, A. (2000). Multidimensional dichotomous thinking characterizes borderline personality disorder. *Cognitive Therapy and Research*, 24(1), 23-45.
- Vingerhoets, A. J. J. M., & Van Tilburg, M. A. L. (1994). *Everyday problem checklist (EPCL)*. Lisse: Swets & Zeitlinger.
- Vittengl, J. R., Clark, L. A., Dunn, T. W., & Jarrett, R. B. (2007). Reducing relapse and recurrence in unipolar depression: A comparative meta-analysis of cognitive-behavioral therapy's effects. *Journal of Consulting and Clinical Psychology*, 75(3), 475-488.
- Wainwright, N. W. J., & Surtees, P. G. (2002). Childhood adversity, gender and depression over the life-course. *Journal of Affective Disorders*, 72(1), 33.
- Watkins, E. R. (2009). Depressive rumination and co-morbidity: Evidence for brooding as a transdiagnostic process. *Journal of Rational-Emotive & Cognitive-Behavior Therapy*, 27(3), 160-175.
- Watson, D., & Clark, L. A. (1992). On traits and temperament: General and specific factors of emotional experience and their relation to the five-factor model. *Journal of Personality*, 60(2), 441-476.
- Watson, D., Clark, L. A., & Carey, G. (1988). Positive and negative affectivity and their relation to anxiety and depressive disorders. *Journal of Abnormal Psychology*, 97(3), 346-353.
- Watson, D., & Tellegen, A. (1985). Toward a consensual structure of mood. *Psychological Bulletin*, 98(2), 219-235.
- Watson, D., & Clark, L. A. (1984). Negative affectivity: The disposition to experience aversive emotional states. *Psychological Bulletin*, 96(3), 465-490.
- Weissman, A. N. (1979). The Dysfunctional Attitude Scale: A validation study. *Dissertation Abstracts International*, 40(3), 1389-1390.
- Wells, K. B., Stewart, A., Hays, R. D., Burnam, M. A., Rogers, W., Daniels, M., . . . Ware, J. (1989). The functioning and well-being of depressed patients. Results from the medical outcomes study. *JAMA: The Journal of the American Medical Association*, 262(7), 914-919.

-
- Whiteford, H. A., Degenhardt, L., Rehm, J., Baxter, A. J., Ferrari, A. J., Erskine, H. E., . . . Vos, T. (2013). Global burden of disease attributable to mental and substance use disorders: Findings from the global burden of disease study 2010. *The Lancet*, 382(9904), 1575-1586.
- Wichers, M., Peeters, F., Geschwind, N., Jacobs, N., Simons, C. J. P., Derom, C., . . . van Os, J. (2010). Unveiling patterns of affective responses in daily life may improve outcome prediction in depression: A momentary assessment study. *Journal of Affective Disorders*, 124(1-2), 191-195.
- Wichers, M., Schrijvers, D., Geschwind, N., Jacobs, N., Myin-Germeys, I., Thiery, E., . . . van Os, J. (2009). Mechanisms of gene-environment interactions in depression: Evidence that genes potentiate multiple sources of adversity. *Psychological Medicine*, 39(7), 1077-1086.
- Wichers, M., Lothmann, C., Simons, C. J. P., Nicolson, N. A., & Peeters, F. (2012). The dynamic interplay between negative and positive emotions in daily life predicts response to treatment in depression: A momentary assessment study. *The British Journal of Clinical Psychology*, 51(2), 206-222.
- Wichers, M., Myin-Germeys, I., Jacobs, N., Peeters, F., Kenis, G., Derom, C., . . . van Os, J. (2007). Genetic risk of depression and stress-induced negative affect in daily life. *The British Journal of Psychiatry*, 191(3), 218-223.
- Wiersma, J. E., Hovens, J. G. F. M., van Oppen, P., Giltay, E. J., van Schaik, Digna J. F., Beekman, A. T. F., & Penninx, B. W. J. H. (2009). The importance of childhood trauma and childhood life events for chronicity of depression in adults. *Journal of Clinical Psychiatry*, 70(7), 983-989.
- Williams, J. M., Crane, C., Barnhofer, T., Brennan, K., Duggan, D. S., Fennell, M. J. V., . . . Russell, I. T. (2013). Mindfulness-based cognitive therapy for preventing relapse in recurrent depression: A randomized dismantling trial. *Journal of Consulting and Clinical Psychology*, in press.
- Williams, J. B. W. (2001). Standardizing the Hamilton Depression Rating Scale: Past, present, and future. *European Archives of Psychiatry and Clinical Neuroscience*, 251, 6-12.
- Zealley, A. K., & Aitken, R. C. (1969). Measurement of mood. *Proceedings of the Royal Society of Medicine*, 62(10), 993-996.
- Zubin, J., & Spring, B. (1977). Vulnerability: A new view of schizophrenia. *Journal of Abnormal Psychology*, 86(2), 103-126.
- Zuroff, D. C., Blatt, S. J., Sanislow, C. A., 3, Bondi, C. M., & Pilkonis, P. A. (1999). Vulnerability to depression: Reexamining state dependence and relative stability. *Journal of Abnormal Psychology*, 108(1), 76-89.

